

Housings for filter cartridges

POLYPROPYLENE HOUSINGS

FP3 PP

[Download technical drawing PDF](#) 

TECHNICAL FEATURES

Type	FP3 PP
Material	PP (Polypropylene)
In/Out	3/4" BSP F

MATERIAL

Heads	PP - Black
Bowl	PP - White/Matt

DESIGN DATA

Max working pressure	8 bar
Hydraulic test pressure	12 bar
Burst pressure	35 bar
Max working temperature	50 C°

SCOPE OF USE

Water
Sea water

CARTRIDGES


N° cartridges	1
Type end caps	DOE (Standard)
Inner diameter min	26 mm
Outer diameter	73 mm
Cartridges height	9" 3/4,20"



Code	Description	Specs, colors and particular finishing	Cartridges	In/Out	End cap	Quantity box	Euro/each
FP3PPST0109034FT	FP3 PP 1x9" 3/4	3/4" without brass insert	9" 3/4	3/4" BSP F	ST	12	Login
FP3PPST0120034FT	FP3 PP 1x20"	3/4" without brass insert	20"	3/4" BSP F	ST	6	Login

For determining the flow rate, we recommend using the calculation software [Everblue Selector](#) or consulting our virtual assistant [BlueBot](#) available on the [homepage](#).



ACCESSORIES

Code	Description	Opzional	?/each	Pic
A6010010	Polypropylene wrench	Yes	Login	

Housings for filter cartridges

POLYPROPYLENE HOUSINGS

FP3 PP

A6010930	Polypropylene single bracket	Yes	Login	
A6011340	Polypropylene double bracket	Yes	Login	

HOUSINGS CODE LIST

Model	Material	Cartridges end cap type	Cartridges n°	Cartridges height	Specs and finishing
FP3	PP (Polypropylene)	DOE (Standard)	1	9" 3/4 20"	3/4" without brass insert
	PP	ST	01	09 20	034FT



Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure



European Community members only.

These filters are free of the "CE" stamp since they are included in the article n. 4 para 3 of the P.E.D. 2014/68/EU of 15 May 2014. These filters can be used only with the fluid and design that respect the conditions established by the directive above mentioned.

PED REFERENCES: PED 2014/68/EU

FLUID: NOT DANGEROUS

4.1 LETTER (a) (ii)

4.3

13.1