

## Housings for filter cartridges

### PVC HOUSINGS

# RIFBLUE PVC RIF-01-3RS

[Download technical drawing PDF](#) 

#### TECHNICAL FEATURES

Type	RIFBLUE PVC RIF-01-3RS
Material	PVC (Polyvinyl chloride)
In/Out	DN 40 FLANGE F

#### DESIGN DATA

Max working pressure	8 bar
Hydraulic test pressure	12 bar
Max working temperature	0 C°

#### SCOPE OF USE

Water
Sea water

#### CARTRIDGES

N° cartridges	3
Type end caps	RIF
Outer diameter	70 mm
Cartridges height	30"



Code	Description	Specs, colors and particular finishing	Cartridges	In/Out	End cap	Euro/each
RIF03RSPVC RIF0330WH	RIFBLUE PVC RIF-01-3RS 3x30"	White	30"	DN 40 FLANGE F	RIF	<a href="#">Login</a>

For determining the flow rate, we recommend using the calculation software [Everblue Selector](#) or consulting our virtual assistant BlueBot available on the [homepage](#).

## Housings for filter cartridges

### PVC HOUSINGS

# RIFBLUE PVC RIF-01-3RS

#### HOUSINGS CODE LIST

Model	Material	Cartridges end cap type		Cartridges n°		Cartridges height		Specs and finishing	
RIF03RS	PVC (Polyvinyl chloride)	RIF	RIF	3	03	30"	30	White	WH



Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure



**European Community members only.**

These filters are free of the "CE" stamp since they are included in the article n. 4 para 3 of the P.E.D. 2014/68/EU of 15 May 2014. These filters can be used only with the fluid and design that respect the conditions established by the directive above mentioned.

PED REFERENCES: PED 2014/68/EU

FLUID: NOT DANGEROUS

ARTICLES: 4.1 LETTER (a) (ii)

4.3

13