

Washable filtration cartridges

WASHABLE NYLON NET CARTRIDGE

RLA75

[Download technical drawing PDF](#) 

TECHNICAL FEATURES

Type	RLA75
Type	Washable net
Height	9" 3/4
Micron	80
Efficiency	75%
Hot sanitizing	No

MATERIAL

Filtration material	Nylon net
Internal core	None
External core	Polypropylene

PRESSURE

Max differential pressure at 20°C	2 bar
Recommended change-out differential pressure	1 bar

TEMPERATURE

Max working temperature	80°C
-------------------------	------

SCOPE OF USE

Water
Sea water



Approximate picture. End caps and height's choice will lead to the assembly of a product which could differ from those shown in figure

Code	Height ²	Micron	Flow l/h	Filtering surface	Quantity box	Euro/each
RLA750980STPVC	9" 3/4	80	3.500	0,05 m ²	70	Login

Washable filtration cartridges

WASHABLE NYLON NET CARTRIDGE

RLA75

END CAPS LIST

End Caps	DOE (Standard)
CODE	ST



CARTRIDGES CODE LIST

Model	Height	Micron	Connection	Seals
RLA75	9" 3/4	80	DOE (Standard)	PVC
	09	80	ST	PVC

* standard o-ring


Washable filtration cartridges

WASHABLE NYLON NET CARTRIDGE

RLA75

FLOW RATE VS PRESSURE DIFFERENTIAL

Pressure differential



Graphic refers to 9" 3/4 height cartridges. Make the correct proportion to obtain flow for taller cartridges.